



2024 CATALOG





ENGINEERED TO EXCEED



2024



From the range to the battlefield, our relentless pursuit of high-quality firearms delivers impeccable design, absolute reliability, consistent accuracy, and extreme durability to the warfighter, law enforcement officer, and civilian shooter. Designed, machined, and assembled entirely in the USA, our firearms don't just meet the requirements and expectations of our end users, they blow them away.

We make quality a reality at LWRCI™. The second you pick up and shoulder one of our firearms, you'll feel the difference – form, fit and function, built just for you.



IC-Di**sc**overy™



facebook



instagram



twitter



youtube

410.901.1348 | LWRCI.COM



THE NEXT LEVEL

If you want something done right, you have to do it yourself. The barrel is the core that we build our rifles around. LWRCI™ manufactures its own cold hammer-forged barrels out of 41V45 alloy steel. The cold hammer-forging process uses high-pressure rotary hammers to compact a gun-drilled blank over a mandrel. This process forms rifling devoid of tool marks and results in a completed product that is stronger and denser than any other process. LWRCI™ barrels stand up better than standard barrels to extreme use, meaning the shooter sees a lower loss in accuracy and velocity as the round count increases. All surfaces are nitrocarburized after forging and profiling, making our barrel surfaces more lubricious, harder wearing, and more heat and corrosion resistant than traditional hard chrome.



2024



LEGACY BECOMES LEGENDARY

IC-A5
IC-A5 PISTOL
IC-SPR
IC-PSD
IC-PSD PISTOL

Directly descended from the rifles developed by LWRCI™ to meet the requirements of the U.S. Army's Individual Carbine Program, the IC line is built for optimal performance. Designed with revolutionary new features while maintaining the basic M4/M16 architecture that has served our armed forces well for the past 40 years, LWRCI's flagship IC line delivers best-in-class design, outstanding ergonomics, and flawless functionality. LWRCI IC Government models are used in over 60 Countries by LE, Military, Government, and foreign allies. Our standard "G" Models come in a variety of barrel lengths, finishes and control options.

5.56 NATO

300 BLK



IC SPECIFICATIONS

GO TO LWRCI.COM FOR COMPLETE IC COMPARISON CHART



BLACK

FLAT DARK EARTH

OD GREEN

PATRIOT BROWN

TUNGSTEN GREY

AVAILABLE COLORS

- Semi only and/or Full Auto on all Models
- MonoForge™ upper receiver with integrated rail-base is stronger than the standard-pattern upper
- All LWRCI™ forgings are coined: the material is struck twice in the die for precise dimensional accuracy and a superior surface finish
- LWRCI™ Skirmish Sights
- LWRCI™ Ambidextrous Charging Handle
- Patented LWRCI™ short-stroke gas piston system offers unparalleled reliability and easy maintenance
- LWRCI™ Advanced Trigger Guard is oversized to allow for easy operation with gloves
- Black Nitride treated LWRCI™ Spiral Fluted heavy-profile barrel is precisely torqued in our factory to a consistent torque setting. Cold hammer forged 1:7 twist stabilizes a wide range of bullet types
- Nickel-Boron coated bolt carrier for unparalleled wear resistance, corrosion resistance, and permanent lubricity
- Fully-ambidextrous lower receiver controls include the bolt catch and release, the magazine release, and the safety selector
- LWRCI™ Ultra Combat Grip with secure storage for sight tool and CR123 battery.
- LWRCI™ Compact Stock
- Magpul® PMAG 5.56



2024

INDIVIDUAL CARBINES



IC-A5

BARREL 16.1"
40.9cm

WEIGHT 7.3lbs
3.3kg

LENGTH 32.1-35.4"
81.5-89.9cm

FEATURES:

LWRCI™ A5 2-Position Gas Block
12" Scalloped Rail
LWRCI™ Skirmish BUIS
Monoforged One-Piece Upper
Full Ambidextrous Lower
LWRCI™ QD Index Plate



IC-SPR SPECIAL PURPOSE RIFLE

BARREL 14.7" 16.1"
37.3cm 40.9cm

WEIGHT 7lbs 7.3lbs
3.2kg 3.3kg

LENGTH 30.7-34" 32.1-35.4"
78-86.4cm 81.5-89.9cm

FEATURES:

LWRCI™ One-Piece Gas Block
LWRCI™ High Efficiency Flash Hider
LWRCI™ QD Index Plate
LWRCI™ ALG Enhanced Fire Control Group
Magpul® 30/20/10 RD Magazines Options



facebook



instagram



twitter



youtube

410.901.1348 | LWRCI.COM

SUB COMPACTS | GAS PISTON RIFLES

IC-PSD

PERSONAL SECURITY DETAIL

BARREL 8.5"
21.6cm

WEIGHT 6.3lbs
2.8kg

LENGTH 24.5-27.8"
62.2-70.6cm

CALIBER 5.56 NATO



FEATURES:

LWRCI™ One-Piece Gas Block
LWRCI™ High Efficiency Flash Hider
LWRCI™ QD Index Plate
LWRCI™ Compact Adjustable Stock



IC-PSD PISTOL

PERSONAL SECURITY DETAIL

BARREL 8.5"
21.6cm

WEIGHT 5.9lbs
2.7kg

LENGTH 21.25"
53.98cm

CALIBER 5.56 NATO

FEATURES:

LWRCI™ One-Piece Gas Block
LWRCI™ High Efficiency Flash Hider
Mil-Spec Index Plate
Pistol Buffer Tube w/QD End Cap



IC-A5 PISTOL

BARREL 10.5"
26.7cm

WEIGHT 6.3lbs
2.85kg

LENGTH 21.25"
53.98cm

CALIBER 5.56 NATO

FEATURES:

LWRCI™ 2 Position Gas Block
LWRCI™ A2 Bird Cage Flash Hider
Mil-Spec Index Plate
Ic-A5 Pistol Buffer Tube w/QD End Cap



2024

IC Short Barrel Rifles are available to Law Enforcement and qualified customers who meet provisions of the National Firearms Act.

INDIVIDUAL CARBINE | GAS PISTON RIFLE | 300BLK



IC-A5 300 BLK

BARREL	10.5"	<u>FEATURES:</u>
WEIGHT	6.4lbs	LWRCI™ 2 Position Gas Block
LENGTH	25.375"	LWRCI™ Ultra Compact Stock
		LWRCI™ High Efficiency Flash Hider
		Mil-Spec Index Plate



IC-A5 300 BLK PISTOL

BARREL	10.5"	<u>FEATURES:</u>
WEIGHT	5.8lbs	LWRCI™ 2 Position Gas Block
LENGTH	24"	LWRCI™ A2 Bird Cage Flash Hider
		Mil-Spec Index Plate
		Pistol Buffer Tube w/QD End Cap



NO SACRIFICES EVER

Unmatched quality from the inside out. Through the application of modern materials science, creative engineering, and advanced manufacturing processes, LWRCI™ has taken the groundbreaking Stoner design and improved it with our self-regulating short-stroke piston system. We've evolved the IC into a rifle with greater reliability, increased longevity, and improved ergonomics than its predecessors.

Our patented piston system eliminates the venting of hot gases into the receiver and bolt carrier group, improving performance and eliminating the cleaning regime associated with direct impingement rifles. We're not new to the piston game; in fact, our piston system has been exceeding expectations in reliability and ease of maintenance for over a decade.



facebook



instagram



twitter



youtube

410.901.1348 | LWRCI.COM



IC-9

PISTOL CALIBER CARBINE SERIES

9mm

- Directly descended from the rifles developed by LWRCI™ to meet the requirements of the U.S. Army's Individual Carbine Program.
- MonoForge Upper Receiver with integrated rail-base is lighter and stronger than standard pattern uppers.
- 8" MLoc Rail or 12" MLoc Rail
- LWRCI™ Enhanced Fire Control Group- Nickel Teflon coated for a smooth crisp trigger pull with positive reset.
- Fully Ambidextrous controls: fire/safety-control, bolt catch release, magazine release and Charging-Handle.
- Oversized LWRCI Enhanced Trigger Guard allows for operation with gloved hands.
- Chamber Ring Delayed Blowback Operating System.
- Coined Forging are struck, heat-treated, and struck again for precise dimensional accuracy and superior surface finish.
- LWRCI™ Ultra Combat Grip
- 33 or 10 Round OEM Glock Magazine



2024

IC-9 SBR

BARREL 8.5"

WEIGHT 5.1 lbs

LENGTH 22.5"-25.75"

FEATURES:

Chamber Ring Delayed Blowback Operating System.

Coined Forging are struck, heat-treated, and struck again for precise dimensional accuracy and superior surface finish.

MLok Rail System

33 or 10 Round OEM Glock Magazine



IC-9 PISTOL

BARREL 8.5"

WEIGHT 4.1 lbs

LENGTH 22.5"

FEATURES:

Chamber Ring Delayed Blowback Operating System.

Coined Forging are struck, heat-treated, and struck again for precise dimensional accuracy and superior surface finish.

MLok Rail System

33 or 10 Round OEM Glock Magazine



IC-9 CARBINE

BARREL 16"

WEIGHT 6.1 lbs

LENGTH 30.25-34.5"

FEATURES:

Chamber Ring Delayed Blowback Operating System.

Coined Forging are struck, heat-treated, and struck again for precise dimensional accuracy and superior surface finish.

MLok Rail System

33 or 10 Round OEM Glock Magazine



facebook



instagram



twitter



youtube

410.901.1348 | LWRCI.COM



DIRECT IMPINGEMENT

Di elevated, improved, and enhanced. The LWRCI™ Di is made with the same craftsmanship and design excellence that comes with every LWRCI™ firearm. Built from the ground up to be more than just another direct impingement rifle, the LWRCI™ Di delivers the quality every rifle enthusiast demands with innovation that's expected from LWRCI™. Our innovative “keyless” bolt carrier design, combined with an operating system that is time-tested, makes the Di the perfect addition to the LWRCI™ lineup. And, since the ambi lower receiver is compatible with the rest of our IC family, you can upgrade your Di to our flagship, piston-driven IC just by switching out the upper.

IC-DI
IC-DI PISTOL
IC-DI MLOK
IC-DI MLOK PISTOL
IC-DI 300BLK
IC-DI .350 LEGEND
IC-DI discovery

5.56 NATO

300 BLK

.350 LEGEND



2024



DI SPECIFICATIONS

GO TO LWRCI.COM FOR COMPLETE DI COMPARISON CHART



BLACK

FLAT DARK EARTH

OD GREEN

PATRIOT BROWN

TUNGSTEN GREY

AVAILABLE COLORS

- Monoforge™ upper receiver with integrated rail-base is stronger than the standard-pattern upper
- LWRCI™ Modular, One-Piece, Free-Float Rail
- LWRCI™ Rail Panels and Hand Stop
- LWRCI™ Angled Ergonomic Fore Grip w/ QD sling point
- NiCorr-treated LWRCI™ DI Gas Block and Gas Tube
- Black Nitride treated LWRCI™ heavy-profile Spiral Fluted barrel is precisely torqued in our factory to a consistent torque setting. Cold hammer forged 1:7 twist stabilizes a wide range of bullet types
- A2 Flash Hider
- LWRCI™ Ultra Combat Grip with secure storage for sight tool and CR123 battery
- LWRCI™ Advanced Trigger Guard is oversized to allow for easy operation with gloves
- Fully-ambidextrous lower receiver controls include the bolt catch and release, the magazine release, and the safety selector
- Mil-Spec, 6-Position Buffer Tube
- H2 Buffer and Mil-Spec Buffer Spring
- LWRCI™ Compact Stock w/ QD sling
- LWRCI™ Ambidextrous Charging Handle
- LWRCI™ QD Index Plate
- Law Enforcement Models include LWRCI™ Skirmish™ BUIS
- Magpul® PMAG 5.56



facebook



instagram



twitter



youtube

410.901.1348 | LWRCI.COM



DIRECT IMPINGEMENT

IC-DI 5.56 OR 300 BLK

BARREL	14.7" 37.3cm	LE 16" NFA 40.9cm
WEIGHT	6.4 lbs 2.9kg	6.7 lbs 3.3kg
LENGTH	30.7-34.0"	32.1-35.4"

FEATURES:

- LWRCI™ Proprietary DI System
- Cold Hammer Forged Spiral Fluted Barrel
- LWRCI™ Enhanced Fire Control Group
- LWRCI™ Compact Stock
- LWRCI™ RailSkins Angled Hand Brace and Hand Stop



MLOK 5.56 OR 300 BLK

BARREL	14.7" 37.3cm	LE 16.1" NFA 40.9cm
WEIGHT	6.4 lbs 2.9kg	6.7 lbs 3.3kg
LENGTH	30.7-34.0"	32.1-35.4"

FEATURES:

- LWRCI™ Proprietary DI System with Keyless Belt Carrier Design
- Cold Hammer Forged Spiral Fluted Barrel
- MLOK Rail Panel for customization of accessories for the shooter
- LWRCI™ Compact Adjustable Stock

NOTE: MLOK models do not ship with LWRCI™ Rail Panels. They are not compatible with MLOK design.



2024



HIGH-PERFORMANCE PISTOLS

IC-DI PISTOL

5.56 OR 300 BLK

BARREL 10.5"
26.67cm
WEIGHT 5.9 lbs
2.7kg
LENGTH 26.4"
67.056cm



PISTOL

5.56 OR 300 BLK

BARREL 10.5"
26.67cm
WEIGHT 5.9 lbs
2.7kg
LENGTH 26.4"
67.056cm



350 LEGEND

BARREL 16.1"
40.64cm
WEIGHT 7.3 lbs
3.3kg
LENGTH 32.1"
81.5cm

FEATURES:

LWRCI™ Proprietary Direct Impingement Operating System with Keyless Bolt Carrier Design

Magpul® MOE Rifle Stock delivers positive cheek weld, increased rigidity

Fully Ambidextrous Lower Controls: Mag Release, Bolt Catch & Release, and Safety Selector

C Products Defense DuraMag SS .350 Legend Stainless Steel Magazine

Available in Black, Flat Dark Earth, OD Green, Patriot Brown and Tungsten Grey Cerakote Finishes



410.901.1348 | LWRCI.COM

IC-Discovery™



DIRECT IMPINGEMENT (5.56 NATO)

BARREL 16.1"
40.9cm

WEIGHT 6.6 lbs
2.7kg

LENGTH 32-35.25"
81.3-89.5cm

AVAILABLE IN CALIFORNIA COMPLIANT CONFIGURATION*

- Non Ambidextrous Lower and Charging Handle
- LWRCI™ Modular One-Piece, Free-Float, Rail
- NiCorr-treated LWRCI™ DI Gas Block and Gas Tube
- LWRCI™ Cold-Hammer-Forged, NiCorr-treated heavy barrel
- LWRCI™ A2 Flash Hider
- Type III Hard-Coat Anodize on Receivers and Rails
- LWRCI™ Ultra Combat Grip
- LWRCI™ Monoforge™ Upper Receiver
- LWRCI™ Advanced Trigger Guard
- Mil-Spec, 6-Position Buffer Tube
- H2 Buffer and Mil-Spec Buffer Spring
- LWRCI™ Compact Stock w/QD Sling
- LWRCI™ Charging Handle
- Magpul 5.56 PMAG 30/10

AVAILABLE MODELS



BLACK

PREMIER
DEALER
EXCLUSIVES



PREMIUM GREY



TUNGSTEN GREY




2024



SMG 45 PISTOL CALIBER CARBINE SERIES

.45 ACP



CALIBER .45 ACP
WIDTH 2.5"
WEIGHT 5.9 lbs
LENGTH 15.5"
RIFLING 1:16 RH | 6 GROOVES
MUZZLE THREADS .578-28 RH
MAGAZINE US MANUFACTURED
UMP MAGAZINES
OPERATING SYSTEM SHORT RECOIL/
DELAYED BLOW BACK

END PLATES AVAILABLE



EXCLUSIVE

- Short Recoil/Delayed Blowback operating system
- 8.5" Cold Hammer- Forged Chromoly Steel Barrel
- User-configurable rail system - options include Picatinny segments, sling adapters, polymer rail panels, offset mount
- LWRCI™ Rail panels at 3, 6, and 9 with a hand stop on the 6 o'clock rail
- US-manufactured UMP magazines; ships with two 25-round mags (lower cap magazines available for different jurisdictions)
- New & Improved LWRCI™ Advanced Fire Control Group
- Aluminum and steel construction
- Premium Hardcoat anodized nitride nickel boron surface treatments throughout
- LWRCI™ Ultra Combat Grip
- Magpul® MBUS Pro sights
- Shoots suppressed using a booster/Neilson device
- Reversible, nonreciprocating, folding charging handle
- Fully Ambidextrous lower controls: AR Selector, bolt catch, grip and hammer/trigger
- Paddle Style Mag release for easy load and mag change



410.901.1348 | LWRCI.COM | 17



DISTRIBUTOR EXCLUSIVES



LIPSEY'S
AIM HIGHER

TACTICAL GREY

BARREL	16" 40.9cm
WEIGHT	6.7 lbs 2.9kg
LENGTH	32.1-35.4"
CALIBER	5.56 NATO



BURNT BRONZE

BARREL	16" 40.9cm
WEIGHT	6.7 lbs 2.9kg
LENGTH	32.1-35.4"
CALIBER	5.56 NATO



M-LOK
AND PISTOL
MODELS
AVAILABLE

**RANGE
USA**

GUN METAL GREY

BARREL	16" 40.9cm
WEIGHT	6.7 lbs 2.9kg
LENGTH	32.1-35.4"
CALIBER	5.56 NATO



2024



DISTRIBUTOR EXCLUSIVES

Sports South LLC

FLAT DARK EARTH

BARREL	16" 40.9cm
WEIGHT	6.7 lbs 2.9kg
LENGTH	32.1-35.4"
CALIBER	5.56 NATO



MGE
Wholesale

COYOTE TAN

BARREL	16" 40.9cm
WEIGHT	6.7 lbs 2.9kg
LENGTH	32.1-35.4"
CALIBER	5.56 NATO



FLAT DARK RED

5.56 OR 300 BLK

BARREL	16" 40.9cm
WEIGHT	6.7 lbs 2.9kg
LENGTH	32.1-35.4"



facebook



instagram



twitter



youtube

410.901.1348 | LWRCI.COM



SIX8 A5
SIX8 PSD
SIX8 PSD PISTOL
SIX8 A5 PISTOL
SIX8 A5 RAZORBACK

The 6.8X43MM SPC II cartridge was developed as part of the Enhanced Rifle Cartridge Program to address the deficiencies in terminal performance seen with the 5.56x45mm NATO cartridge while allowing the soldier to carry the same number of rounds with a minimal weight penalty. By using a heavier projectile, the 6.8 round offers more impact energy than the 5.56 NATO round across all effective ranges, effectively bridging the gap in lethality between 5.56 NATO and 7.62 NATO.

A major drawback of using the 6.8 cartridge in an M4 style weapon has been the lack of reliable magazines. To solve this issue, we designed our Six8 family of weapons around the magazine. Through a partnership with Magpul®, the leader in polymer magazine engineering, we designed the first polymer 6.8 magazine. The Six8 PMAG features many of the same design characteristics of the standard PMAG, including the curved shape and familiar texture. The body is slightly wider, and the walls were strengthened in critical areas. Our red follower makes the Six8 magazine easy to pick out of a pile.

The upper and lower receivers are designed to accommodate the slightly larger polymer magazine and to perfect the feed geometry for the 6.8 cartridge. As with the IC family, the weapons in the Six8™ family are fully ambidextrous. Our Six8™ rifles are, put simply, the familiar Stoner M4/AR-15/M16 architecture fully optimized for the 6.8 cartridge.



2024



SIX8 SPECIFICATIONS

GO TO LWRCI.COM FOR COMPLETE SIX8 COMPARISON CHART



BLACK

FLAT DARK EARTH

OD GREEN

PATRIOT BROWN

TUNGSTEN GREY

AVAILABLE COLORS

- Semi only and/or Full Auto on all Models
- Proprietary upper and lower receiver optimized for 6.8 SPC cartridge
- All LWRCI™ forgings are coined: the material is struck twice in the die for precise dimensional accuracy and a superior surface finish
- Black Nitride treated LWRCI™ heavy-profile barrel is precisely torqued in our factory to a consistent torque setting. Cold hammer forged 1:10 twist stabilizes a wide range of bullet types
- Patented LWRCI™ short-stroke gas piston system offers unparalleled reliability and easy maintenance
- LWRCI™ Advanced Trigger Guard is oversized to allow for easy operation with gloves
- LWRCI™ Enhanced Fire Control Group – Nickel-Teflon coated for a smooth, crisp trigger pull with positive reset
- Fully-ambidextrous lower receiver controls include the bolt catch and release, the magazine release, and the safety selector
- LWRCI™ Ambidextrous Charging Handle
- LWRCI™ Skirmish Sights
- LWRCI™ Compact Stock with integrated quick-detach points
- Advanced Combat Bolt in 6.8. The ACB features a fully supported bolt face, dual extractor springs, the 'Claw' extractor that provides 20% mode purchase on the case rim for positive extraction every time, a bolt face groove to collect dirt and brass shaving, and a Nickel-Boron coating for wear resistance and permanent lubricity
- Designed specifically for the 6.8 round, the enlarged ejection port on all SIX8 models allow unhindered ejection of 6.8 casings
- Nickel-Boron coated bolt carrier for unparalleled wear resistance, corrosion resistance, and permanent lubricity
- LWRCI™ Ultra Combat Grip with secure storage for sight tool and CR123 battery



facebook



instagram



twitter



youtube

410.901.1348 | LWRCI.COM



6.8 SPC II FULL SIZE CARBINES



SIX8-A5

BARREL	10.5"	LE	12.7"	LE	14.7"	16.1"
	26.7cm	NFA	32.3cm	NFA	37.3cm	40.9cm
WEIGHT	6.5lbs		6.8lbs		7lbs	7.3lbs
	2.9kg		3.1kg		3.2kg	3.3kg
LENGTH	26.5-29.8"		28.7-32"		30.7-34"	32.1-35.4"
	67.3-75.6cm		72.9-81.3cm		78-86.4cm	81.5-89.9cm

FEATURES:

LWRCI™ A5 2-Position Gas Block
A2 Birdcage Flash Hider
9" rail on 10.5" and 12.7" lengths
12" scalloped rail on 14.7" and 16.1" lengths
LWRCI™ QD Index Plate



SIX8-A5 RAZORBACK II

BURNT BRONZE

BARREL	16"
	40.9cm
WEIGHT	7.3 lbs
	3.31kg
LENGTH	31.93-34.53"
	81.1-87.7cm



Includes:
Burnt Bronze Cerakote
Razorback Magwell Engraving
2 Position Gas Block
12" Scalloped Cut Rail



2024



6.8 SPC II FULL SIZE CARBINES

SIX8-A5 PISTOL

BARREL 10.5"
26.7cm **LE**
NFA

WEIGHT 6.5lbs
2.9kg

LENGTH 26.5"



SIX8-PSD PERSONAL SECURITY DETAIL

BARREL 8.5"
21.6cm **LE**
NFA

WEIGHT 6.25 lbs
2.9kg

LENGTH 27.33-29.93"
68.42-76.02cm



SIX8-PISTOL

BARREL 8.5"
21.6cm **LE**
NFA

WEIGHT 6.3 lbs
2.86kg

LENGTH 24.41"
62cm



facebook



instagram



twitter



youtube

410.901.1348 | LWRCI.COM



REPR™ MKII 7.62 NATO STANDARD REPR™ MKII 6.5 CREEDMOOR 22" STANDARD

REPR™ MKII Rapid Engagement Precision Rifle is a full-spectrum weapon system designed to deliver ultimate power and precision for a variety of real-world shooting applications. Our REPR MKII platform was developed to meet the requirements of the US Army's CSASS solicitation calling for a more Compact Semi Auto Sniper System.

The REPR™ MKII answered the call with significant improvements in dependability, accuracy and aesthetics that made the original REPR model a major success. The heart and soul of the REPR MKII is our proprietary short stroke gas piston operating system with 20 position gas block allowing precise tuning to match exact shooting conditions, suppressed or ammunition choice. Chambered for 7.62 NATO or 6.5 Creedmoor with either LWRCI™ non reciprocating side charge or ambidextrous rear charge configurations.

.762 X 51 NATO

6.5 CREEDMOOR

Our 7.62 REPR™ MKII models are available in 12.7", 16.1" and 20" barrel lengths and new barrel options- Proof Research Stainless Steel or Carbon Fiber on our Elite series. Ready to rock out of the box- the MKII comes fully loaded with custom rifle features like a Geissele® SSA-E trigger, Magpul® UBR or PRS Stock, LWRCI™ Skirmish BUIS, Ultra Static Brake 4 Port Enhanced Muzzle, and legendary LWRCI™ design details - fully ambidextrous lower receiver, monoforge upper receiver and Nickel-Boron coated bolt carrier.

The REPR™ MKII 6.5 Creedmoor is built with a Proof Research 22" Stainless Steel or Carbon Fiber barrel on the Elite model.




2024



REPR MKII SPECIFICATIONS

GO TO LWRCI.COM FOR COMPLETE REPR MKII COMPARISON CHART



- Barrel Options: LWRCI™ Cold Hammer Forged, Spiral Fluted
- Geissele® SSA-E 2-Stage Precision Trigger | Advanced Trigger Guard
- Charging Handle Options: LWRCI™ Proprietary Non-Reciprocating Side Charge or Ambidextrous Rear Charge
- LWRCI™ Skirmish™ Back Up Iron Sights
- LWRCI Ultra Static Brake - 4 Port Enhanced Muzzle Brake
- Sub-MOA Accuracy Capable
- Semi only and/or Full Auto on all Models
- LWRCI™ 20 Position Tunable Gas Block
- Patented LWRCI™ short-stroke gas piston system offers unparalleled reliability and easy maintenance
- Monoforge™ upper receiver with integrated rail-base is stronger than the standard-pattern upper
- Fully-ambidextrous lower receiver controls include the bolt catch and release, the magazine release, and the safety selector
- LWRCI™ Advanced Trigger Guard is oversized to allow for easy operation with gloves
- Geissele® SSA-E 2-Stage Precision Trigger
- LWRCI™ Ultra Combat Grip with secure storage for sight tool and CR123 battery
- LWRCI™ Non-Reciprocating Side Charge
- 16.1" B5 Systems Precision Stock. 20" MAGPUL PRS Stock
- Magpul® 20 Round 7.62 NATO PMAG



facebook



instagram



twitter



youtube

410.901.1348 |



REPR MKII SC



BARREL 16.1"
40.9cm
WEIGHT 8.75 lbs
3.97kg
LENGTH 37.5" – 41"
95.25-104.14cm
CALIBER 7.62 NATO



BARREL 20"
40.9cm
WEIGHT 8.75 lbs
3.97kg
LENGTH 37.5" – 41"
95.25-104.14cm
CALIBER 7.62 NATO



BARREL 22"
40.9cm
WEIGHT 8.75 lbs
3.97kg
LENGTH 37.5" – 41"
95.25-104.14cm
CALIBER 6.5 Creedmoor



2024

GENUINE PARTS AND ACCESSORIES

Make the best even better with LWRCI parts and accessories built to the same exacting standards as our rifles and carbines.

See our full range of ready-to-ship Genuine LWRCI parts, accessories and branded gear at LWRCI.com

VISIT THE LWRCI™ WEBSTORE AT **LWRCI.COM**



facebook



instagram



twitter



youtube

410.901.1348 | LWRCI.COM

27

CONNECT WITH US



THERE'S AN ENTIRE LWRCI™ ONLINE
COMMUNITY ON FACEBOOK, TWITTER,
YOUTUBE AND INSTAGRAM.



WARRANTY

SCOPE OF WARRANTY

LWRCI™ products are warranted to be free from defective materials and workmanship for the life of the original purchaser. LWRCI™ obligation under this warranty shall be limited to (1) repairing or (2) replacing any product which, upon inspection at LWRCI™ and based on its discretion, is found to be defective in material or in workmanship. This warranty is limited and does not extend to: careless handling, abuse and misuse, unauthorized adjustments or modifications, use of improper ammunition, excessive or unreasonable use, ordinary wear & tear, rust or corrosion, and barrel obstruction. Repairs are warranted for the duration of the original warranty and applies only to factory built products.

EXCLUSIVE REMEDY

The remedies in this section and in the warranty agreement constitute the sole and exclusive remedies of any authorized customer, as well as its successors and assigns, for any defect in the product.

DISCLAIMER

The warranty stated in this agreement is the sole and exclusive warranty pertaining to the product. LWRCI™ disclaims any warranty, express or implied, including, without limitation, any warranty of merchantability or fitness for a particular purpose. In no event shall LWRCI™, LLC be responsible for any indirect, incidental, or consequential damages including, without limitations, lost profits and costs of delay, with respect to economic loss or injury to property or to third parties, whether as a result of breach of express or implied warranty, negligence or otherwise. Prior to returning any LWRCI™ product for warranty work, you must receive return material authorization (RMA) from our customer service department. The contact information is shown below. Items must be returned prepaid to the address shown below. LWRCI™, LLC accepts no responsibility for items lost or damaged in shipping. Items that are returned and found to be out-of-warranty will be repaired at the customer's expense; however, no work will be performed without the customer's written authorization.

LWRC International, LLC | Cambridge, Maryland
410.901.1348 | 410.228.1775 Fax | lwrci.com

NFA POLICY

LWRCI™ will sell NFA items to qualified customers only when all provisions of the National Firearms Act are met, and there are no Local or State Regulations preventing such sale. LWRCI™ does not give legal advice, and is not responsible to determine your eligibility to own or possess an NFA item. All NFA rules apply.

EXPORT CONTROL

User acknowledges that any technical data furnished by LWRCI™ in connection with any order may be subject to U.S. export control laws, including but not limited to the Arms Export Control Act, 22 USC 2778, (AECA) and the International Traffic in Arms Regulations, 22 CFR 120-130, (ITAR) promulgated pursuant thereto. In this regard, User agrees that, unless it has obtained prior written consent from the U.S. Department of State, Directorate of Defense Trade Control (DDTC), they will not export, reexport, or transship, directly or indirectly, the goods, documentation, technical assistance, or any media in which any of the foregoing is contained, or other technology provided hereunder or the direct product thereof, to any country or to any non-U.S. citizen.

ALL NFA ITEMS AND GCA rules and laws apply to any purchase of LWRCI™ firearms. Please check local, state, and federal laws.

PLEASE NOTE: Rifles may be shown in deluxe configurations and/or with optional accessories. Configurations may change without prior notice.



lwrci.com



© COPYRIGHT LWRCI 2024